Google

Java and recommended SQL and rewritten   **Search**   Advanced Search
Preferences

The "AND" operator is unnecessary — we include all search terms by default. [details]

Web   Results **1 - 10** of about **2,750** for Java and recommended SQL and rewritten SQL statement. (0.32 seconds)

[Chapter 10] 10.2 Calling Packaged Functions in **SQL**
... NUMBER IS LANGUAGE **JAVA** NAME 'Person.max_salary (**Java**.lang.String ... are not required
but are strongly **recommended** by Oracle ... a MAP or ORDER method of a **SQL** type, or ...
www.hk8.org/old_web/oracle/guide8i/ch10_02.htm - 22k - Cached - Similar pages

MySQL and mSQL (MySQL & mSQL)
... changes in Version 3.22, the current **recommended** version, are ... A new KILL command in
SQL that works like ... JDBC 2.0 compliant JDBC driver for **Java** database access ...
www.hk8.org/old_web/linux/**sql**/ch01_04.htm - 18k - Cached - Similar pages

[PDF] **SQL** and Application Performance LECCO **SQL** Expert revolutionizes ...
File Format: PDF/Adobe Acrobat - View as HTML
... s Extracts **SQL** from application source codes such as COBOL, **Java**, C/C++, Perl ... s
Displays the **recommended** indexes from DB2 related to one **SQL statement**. ...
www.leccotech.com/pdf/DB2_DS.pdf - Similar pages

Procedural Stored Modules: The capabilities r - **java**, javscript
... Stored procedures are groups of **SQL** / PSM **statements** which enable ... business logic in
any language like **Java** or C++ ... It is highly **recommended** that users shall use ...
www.planet-source-code.com/vb/scripts/ ShowCode.asp?txtCodeId=4273&lngWId=2 - 45k - Cached - Similar pages

Forums - PL-**SQL** AND DAFFODILDB
... write business logic in any language like **Java** or C++ ... It is highly **recommended** that
users shall use standardized ... to get an insight of PL/**SQL** capabilities, you ...
www.**java**lobby.org/thread. jspa?forumID=16&threadID=12885 - 26k - Cached - Similar pages

Basic Features
... Directory Interface) is becoming the **recommended** way to ... - **SQL** code: create table
streamexample (NAME varchar2 (256 ... The following **Java** code snippet writes the ...
www.cise.ufl.edu/help/database/ oracle-docs/**java**.920/a96654/basic.htm - 101k - Cached - Similar pages

Oracle9i JDBC drivers README
... of the sample programs have been **rewritten** to use ... way the classes and interfaces in
java.sql specify the ... Conversion is not required, but is highly **recommended**. ...
otn.oracle.com/software/tech/ **java/sql**j_jdbc/htdocs/jdbc_readme9201.html - 59k - Cached - Similar pages

Jim O'Halloran's Weblog: PostgreSQL 7.4 and Advanced **SQL**
... backend code, and it was written in **Java**, which could ... Its **recommended** that production
servers be tuned by hand ... of the session covered some Advanced **SQL** syntax ...
www.jimohalloran.com/archives/000376.html - 15k - Cached - Similar pages

Designing Efficient Applications for Microsoft **SQL** Server (**SQL** ...
... includes instructions for how to call ADO from **Java** or C ... memory footprint, so it is
not the **recommended** interface ... ISAM-style code that is **rewritten** for **SQL** Server ...
msdn.microsoft.com/library/ en-us/dnsqlsg/html/msdn_designeff.asp - 89k - Cached - Similar pages

What's New in **SQL** Anywhere Studio
... to connect to Adaptive Server Anywhere from a **Java** application, you can ... available
only to ODBC and Embedded **SQL** applications, such ... SPX is **recommended** over IPX. ...
manuals.sybase.com/onlinebooks/group-sas/ awg0800e/dbwnen8/@Generic__BookTextView/6911 - 30k -
Cached - Similar pages

Gooooooooooogle ▶

Java and recommended SQL and [Search]

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Google Home - Advertising Programs - Business Solutions - About Google

©2004 Google

	Type	Hits	Search Text	DBs
1	BRS	3173	707/103	USPAT; EPO; JPO; DERWENT; IBM_TDB
2	BRS	407	DBMS and 707/103	USPAT; EPO; JPO; DERWENT; IBM_TDB
3	BRS	103	(DBMS and 707/103) and Java	USPAT; EPO; JPO; DERWENT; IBM_TDB
4	BRS	0	(((DBMS and 707/103) and Java) and (retriev$ with statement)) and ((modif$3 or recommend$) near3 SQL)	USPAT; EPO; JPO; DERWENT; IBM_TDB
5	BRS	0	(((DBMS and 707/103) and Java) and (retriev$ with statement)) and ((modif$3 or recommend$) near3 statement)	USPAT; EPO; JPO; DERWENT; IBM_TDB
6	BRS	98	((DBMS and 707/103) and Java) and ((retriev$ with statement) wtih code)	USPAT; EPO; JPO; DERWENT; IBM_TDB
7	BRS	0	((DBMS and 707/103) and Java) and ((retriev$ with statement) with code)	USPAT; EPO; JPO; DERWENT; IBM_TDB
8	BRS	33	((DBMS and 707/103) and Java) and (retriev$ with statement)	USPAT; EPO; JPO; DERWENT; IBM_TDB
9	BRS	11280	Java or JDBC	USPAT; EPO; JPO; DERWENT; IBM_TDB
10	BRS	197	(Java or JDBC) and (code with SQL)	USPAT; EPO; JPO; DERWENT; IBM_TDB
11	BRS	24	((Java or JDBC) and (code with SQL)) and (modif$ with SQL)	USPAT; EPO; JPO; DERWENT; IBM_TDB
12	BRS	0	(display$ near3 SQL) and (recomment$ near2 SQL)	USPAT; EPO; JPO; DERWENT; IBM_TDB
13	BRS	0	(recomment$ near2 SQL)	USPAT; EPO; JPO; DERWENT; IBM_TDB
14	BRS	4	(recommend$ near2 SQL)	USPAT; EPO; JPO; DERWENT; IBM_TDB
15	BRS	134	JDBC and (source near2 code)	USPAT; EPO; JPO; DERWENT; IBM_TDB
16	BRS	38	(JDBC and (source near2 code)) and (SQL near2 code)	USPAT; EPO; JPO; DERWENT; IBM_TDB
17	BRS	4	(recommended or suggested) with (SQL near2 statement)	USPAT; EPO; JPO; DERWENT; IBM_TDB
18	BRS	7	(reconstruct$ with (SQL near2 statement))	USPAT; EPO; JPO; DERWENT; IBM_TDB
19	BRS	2	(rebuild$ with (SQL near2 statement))	USPAT; EPO; JPO; DERWENT; IBM_TDB
20	BRS	0	JDBC and (code same (restructur$ with statement))	USPAT; EPO; JPO; DERWENT; IBM_TDB
21	BRS	0	JDBC and (restructur$ with statement)	USPAT; EPO; JPO; DERWENT; IBM_TDB
22	BRS	0	JDBC and (restruct$ with statement)	USPAT; EPO; JPO; DERWENT; IBM_TDB
23	BRS	0	JDBC and (restruct$ with SQL)	USPAT; EPO; JPO; DERWENT; IBM_TDB
24	BRS	2	recommended with (SQL near2 statements)	USPAT; EPO; JPO; DERWENT; IBM_TDB
25	BRS	20	(SQL near2 statement) with Java	USPAT; EPO; JPO; DERWENT; IBM_TDB
26	BRS	396	(codes same (SQL near2 statements))	USPAT; EPO; JPO; DERWENT; IBM_TDB
27	BRS	3	((codes same (SQL near2 statements))) and (recommend$ with statements)	USPAT; EPO; JPO; DERWENT; IBM_TDB
28	BRS	1014	345/619	USPAT; EPO; JPO; DERWENT; IBM_TDB
29	BRS	3	345/619 and (display$ same SQL)	USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
30	BRS	558	select$ with (SQL near2 statement)	USPAT; EPO; JPO; DERWENT; IBM_TDB
31	BRS	205	(select$ with (SQL near2 statement)) and (code same SQL)	USPAT; EPO; JPO; DERWENT; IBM_TDB
32	BRS	139	(select$ with (SQL near2 statement)) and (code same (SQL near2 statement))	USPAT; EPO; JPO; DERWENT; IBM_TDB
33	BRS	5	((select$ with (SQL near2 statement)) and (code same (SQL near2 statement))) and (substitu$ with (SQL near2 statement))	USPAT; EPO; JPO; DERWENT; IBM_TDB
34	BRS	33	(substitu$ with (SQL near2 statement))	USPAT; EPO; JPO; DERWENT; IBM_TDB
35	BRS	0	(amended near3 (SQL near2 statement))	USPAT; EPO; JPO; DERWENT; IBM_TDB
36	BRS	149	(modif$ with (SQL near2 statement))	USPAT; EPO; JPO; DERWENT; IBM_TDB
37	BRS	64	(modif$ near3 (SQL near2 statement))	USPAT; EPO; JPO; DERWENT; IBM_TDB
38	BRS	78	(Java or JDBC) and (code same (SQL near2 statements))	USPAT; EPO; JPO; DERWENT; IBM_TDB
39	BRS	6	((Java or JDBC) and (code same (SQL near2 statements))) and ((Java near2 code) same (SQL near2 statement))	USPAT; EPO; JPO; DERWENT; IBM_TDB
40	BRS	6	((Java near2 code) same (SQL near2 statement))	USPAT; EPO; JPO; DERWENT; IBM_TDB
41	BRS	6	((Java near2 code) same (SQL near2 statements))	USPAT; EPO; JPO; DERWENT; IBM_TDB
42	BRS	396	(code same (SQL near2 statements))	USPAT; EPO; JPO; DERWENT; IBM_TDB
43	BRS	220	(code with (SQL near2 statements))	USPAT; EPO; JPO; DERWENT; IBM_TDB
44	BRS	69	((code with (SQL near2 statements))) and ((retriev$ or extract$) with (SQL near2 statement))	USPAT; EPO; JPO; DERWENT; IBM_TDB
45	BRS	1	10/092987	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
46	BRS	3	JDBC and (code with (sql near2 statements))	USPAT; EPO; JPO; DERWENT; IBM_TDB
47	BRS	33	Java and (code with (sql near2 statements))	USPAT; EPO; JPO; DERWENT; IBM_TDB
48	BRS	363	(extract$ or retriev$) with (SQL near2 statements)	USPAT; EPO; JPO; DERWENT; IBM_TDB
49	BRS	26	((extract$ or retriev$) with (SQL near2 statements)) and JDBC	USPAT; EPO; JPO; DERWENT; IBM_TDB
50	BRS	25	(((extract$ or retriev$) with (SQL near2 statements)) and JDBC) and code	USPAT; EPO; JPO; DERWENT; IBM_TDB
51	BRS	28	(sun near2 microsoft) and JDBC	USPAT; EPO; JPO; DERWENT; IBM_TDB
52	BRS	3	"L24" and (SQL near2 statement)	USPAT; EPO; JPO; DERWENT; IBM_TDB
53	BRS	2	6243703.pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB
54	BRS	780	couch.in.	USPAT; EPO; JPO; DERWENT; IBM_TDB
55	BRS	2	couch.in. and (modif$ same SQL)	USPAT; EPO; JPO; DERWENT; IBM_TDB
56	BRS	1758	RDBMS or JDBC	USPAT; EPO; JPO; DERWENT; IBM_TDB
57	BRS	93	(RDBMS or JDBC) and (select$ with query) and ((modif$ or edit) near3 query)	USPAT; EPO; JPO; DERWENT; IBM_TDB
58	BRS	62	((RDBMS or JDBC) and (select$ with query) and ((modif$ or edit) near3 query)) and (user with select$)	USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
59	BRS	272	(edit$ or modif$) with (SQL near2 statements)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
60	BRS	96	((edit$ or modif$) with (SQL near2 statements)) and (select$ with query)	USPAT; EPO; JPO; DERWENT; IBM_TDB
61	BRS	29	(alter$ near3 (SQL near2 statement))	USPAT; EPO; JPO; DERWENT; IBM_TDB
62	BRS	408	(select$ near2 (SQL near2 statement))	USPAT; EPO; JPO; DERWENT; IBM_TDB
63	BRS	10	((select$ near2 (SQL near2 statement))) and (edit$ near3 (SQL near2 statement))	USPAT; EPO; JPO; DERWENT; IBM_TDB
64	BRS	3608	707/4	USPAT; EPO; JPO; DERWENT; IBM_TDB
65	BRS	38	707/4 and (show near2 SQL)	USPAT; EPO; JPO; DERWENT; IBM_TDB
66	BRS	0	(707/4 and (show near2 SQL)) and (edit near2 SQL)	USPAT; EPO; JPO; DERWENT; IBM_TDB
67	BRS	38	(707/4 and (show near2 SQL)) and (edit $near2 SQL)	USPAT; EPO; JPO; DERWENT; IBM_TDB
68	BRS	1	(707/4 and (show near2 SQL)) and (edit$ near2 SQL)	USPAT; EPO; JPO; DERWENT; IBM_TDB
69	BRS	285	707/4 and (select$ near2 SQL)	USPAT; EPO; JPO; DERWENT; IBM_TDB
70	BRS	50	(707/4 and (select$ near2 SQL)) and ((edit$ or modif$) near3 SQL)	USPAT; EPO; JPO; DERWENT; IBM_TDB
71	BRS	2	RDBMS and (restruct$ near2 query)	USPAT; EPO; JPO; DERWENT; IBM_TDB
72	BRS	0	RDBMS and (restruct$ near2 SQL)	USPAT; EPO; JPO; DERWENT; IBM_TDB
73	BRS	1	restructure$ near2 SQL	USPAT; EPO; JPO; DERWENT; IBM_TDB
74	BRS	8120	707/2 or 707/4 or 707/3	USPAT; EPO; JPO; DERWENT; IBM_TDB
75	BRS	1725	(707/2 or 707/4 or 707/3) and (select$ near3 (SQL or statement or query))	USPAT; EPO; JPO; DERWENT; IBM_TDB
76	BRS	6	(((707/2 or 707/4 or 707/3) and (select$ near3 (SQL or statement or query))) and (edit$ near3 (SQL or statement or query))) and JDBC	USPAT; EPO; JPO; DERWENT; IBM_TDB
77	BRS	135	((707/2 or 707/4 or 707/3) and (select$ near3 (SQL or statement or query))) and (edit$ near3 (SQL or statement or query))	USPAT; EPO; JPO; DERWENT; IBM_TDB
78	BRS	13	(((707/2 or 707/4 or 707/3) and (select$ near3 (SQL or statement or query))) and (edit$ near3 (SQL or statement or query))) and ((extract$ or retriev$) near2 SQL)	USPAT; EPO; JPO; DERWENT; IBM_TDB
79	BRS	67	(code or module) with ((extract$ or retrieve$) near2 (SQL near2 statement))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
80	BRS	45	(code or module) with ((extract$ or retrieve$) near2 (SQL near2 statement))	USPAT; EPO; JPO; DERWENT; IBM_TDB
81	BRS	2	6348927.pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB
82	BRS	26	(extracted near3 (SQL near2 statements))	USPAT; EPO; JPO; DERWENT; IBM_TDB
83	BRS	6	((extracted near3 (SQL near2 statements))) and (search$ with (SQL near2 statement))	USPAT; EPO; JPO; DERWENT; IBM_TDB
84	BRS	131	(search$ with (SQL near2 statement))	USPAT; EPO; JPO; DERWENT; IBM_TDB
85	BRS	64	(search$ near3 (SQL near2 statement))	USPAT; EPO; JPO; DERWENT; IBM_TDB
86	BRS	171	(retrieve$ near3 (SQL near2 statements))	USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
87	BRS	13	(edit with (SQL near2 statement))	USPAT; EPO; JPO; DERWENT; IBM_TDB
88	BRS	34	(modify with (SQL near2 statement))	USPAT; EPO; JPO; DERWENT; IBM_TDB
89	BRS	400	(select$2 near3 (SQL near2 statement))	USPAT; EPO; JPO; DERWENT; IBM_TDB
90	BRS	304	((select$2 near3 (SQL near2 statement))) and 707/$.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB
91	BRS	9	(((select$2 near3 (SQL near2 statement))) and 707/$.ccls.) and JDBC	USPAT; EPO; JPO; DERWENT; IBM_TDB
92	BRS	28	(display$ near3 (SQL near2 query))	USPAT; EPO; JPO; DERWENT; IBM_TDB